

Monthly Totals By Incident Type

Cranberry Township Volunteer Fire Company

Date Range: From 1/1/2022 to 1/31/2022
 Company: All Companies
 Equipment Type(s): All Equipment Types

Incident Type	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	TOTAL	%
111-Building fire	3	0	0	0	0	0	0	0	0	0	0	0	3	3.7%
112-Fires in structure other than in a building	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
113-Cooking fire, confined to container	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
114-Chimney or flue fire, confined to chimney or flue	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
142-Brush or brush-and-grass mixture fire	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
251-Excessive heat, scorch burns with no ignition	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
311-Medical assist, assist EMS crew	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
322-Motor vehicle accident with injuries	3	0	0	0	0	0	0	0	0	0	0	0	3	3.7%
324-Motor vehicle accident with no injuries.	7	0	0	0	0	0	0	0	0	0	0	0	7	8.5%
411-Gasoline or other flammable liquid spill	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
412-Gas leak (natural gas or LPG)	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
424-Carbon monoxide incident	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
522-Water or steam leak	4	0	0	0	0	0	0	0	0	0	0	0	4	4.9%
531-Smoke or odor removal	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
551-Assist police or other governmental agency	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
611-Dispatched & canceled en route	18	0	0	0	0	0	0	0	0	0	0	0	18	22%
622-No incident found on arrival at dispatch address	2	0	0	0	0	0	0	0	0	0	0	0	2	2.4%
651-Smoke scare, odor of smoke	3	0	0	0	0	0	0	0	0	0	0	0	3	3.7%
652-Steam, vapor, fog or dust thought to be smoke	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
671-HazMat release investigation w/no HazMat	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
731-Sprinkler activation due to malfunction	2	0	0	0	0	0	0	0	0	0	0	0	2	2.4%
733-Smoke detector activation due to malfunction	3	0	0	0	0	0	0	0	0	0	0	0	3	3.7%
735-Alarm system sounded due to malfunction	5	0	0	0	0	0	0	0	0	0	0	0	5	6.1%
736-CO detector activation due to malfunction	2	0	0	0	0	0	0	0	0	0	0	0	2	2.4%
745-Alarm system activation, no fire - unintentional	16	0	0	0	0	0	0	0	0	0	0	0	16	19.5%
746-Carbon monoxide detector activation, no CO	1	0	0	0	0	0	0	0	0	0	0	0	1	1.2%
Blank. Incident Type not Entered													0	0%
Total for all Incident Types	82	0	0	0	0	0	0	0	0	0	0	0	82	